





ROCKET ESPRESSO

Rocket Espresso produces the finest espresso machines in the tradition of 'Fatto a Mano' translated to, 'made by hand'.

Our small team of craftsmen produce both premium domestic and commercial espresso

machines, beautifully made with meticulous care and attention to detail.

More importantly, Rocket Espresso machines will deliver the finest espresso in the cup, time after time.

A partnership between
New Zealander Andrew Meo and
Italian Daniele Berenbruch who
bring philosophies from opposing
sides of the world into their Milan
factory to make the best espresso
machines they possibly can.



R NINE ONE

The R NINE ONE was developed to bring the very best of our commercial machine development programme into a machine capable of outstanding results. Designed for use in a small commercial application or home environment.

Thermal stability through the Rocket Espresso fully saturated group system, coupled with digital PID temperature control

Pre and Post infusion controlled through a full pressure profiling system, using the 5 preset programmes or via manual control through the Rocket Espresso paddle system.

Direct water connection or built in water reservoir, an espresso machine designed to deliver spectacular results in the cup, through both stability and flexibility of control parameters.

R NINE ONE FEATURES

- 5 pump pressure profiles + 1 semiautomatic profile (to be set operating the group's paddle)
- Graphic colour touch display
- Permanent magnets volumetric pump for absolutely precise and silent operation
- Bodywork all stainless steel (special order: rubber finishing white or black side and rear panels)
- Boilers all AISI 316L stainless steel made.
- Brew boiler + saturated group assembly: 1.9 litre - 1200 W
- Service boiler: 3.6 litre 1400 W
- Max. power consumption of machine: 1600 W

DIMENSIONS

- 410 x 505 x 430 mm (width x depth x height)
- Weight: 47.4 kg
- Water feed: Hard plumbed operation or pour over operation





g 2 | Pg





R 60V

R 60V has a unique pressure profiling system.

Traditionally 9 bar of pump pressure extracts the flavours and oils from the coffee to produce espresso. The R 60V with a unique pressure profile system allows further enhancement in the cup with the ability to fine tune pump pressure over the course of the extraction.

The Rocket Espresso pressure profiling system uses a five step approach to allow the extraction to be split into five different time intervals, each allowing for a different pressure to be programmed, making it possible to both ramp up or ramp down pump pressure depending on the coffee type and flavours being chased.

The Rocket Espresso communication pod allows adjustments to be made through a remote controller or through the machine wifi system which will display real time temperatures, pressures and extraction times.

Dual boiler and PID controlled.
Rotary pump with water reservoir or direct water connection.




R 60V FEATURES

- Dual stainless steel boilers of 0.58 and 1.8 litres
- PID controlled
- Rotary pump pressure profile system
- Rocket Espresso communication pod
- Shot timer
- 2.5 litre water reservoir or direct water connection option
- Full stainless steel chassis
- Height adjustable feet
- Stainless steel cup frame as standard
- · Wattage: 1400 W

DIMENSIONS

- 310 x 440 x 390* mm (width x depth x height)
- Weight: 29.5 kg





^{*}excluding cup frame

R 58

Dual independently operated PID controlled boilers allowing for optimum extraction of any coffee type or roast style. Rocket Espresso inclined boiler technology means precise group temperature adjustment and unprecedented levels of temperature stability.

Commercial grade rotary pump draws from the machines internal water reservoir or allows for the machine to have a direct water connection from the water supply.

Machine functions are controlled from the Rocket Espresso communication pod that plugs into the side of the R 58. The pod can be removed to preserve the style of the machine that is Rocket Espresso.



R 58 FEATURES

- Dual boilers of 0.58 and 1.8 litres
- PID controlled
- Rotary pump
- Rocket Espresso communication pod
- 2.5 litre water reservoir or direct water connection option
- Height adjustable feet
- Stainless steel cup frame as standard
- Wattage: 1400 W

DIMENSIONS

- 310 x 440 x 385* mm (width x depth x height)
- Weight: 29.0 kg

*excluding cup frame





Giotto & Mozzafiato Evoluzione R (now with PID)

Features taken directly from our commercial espresso machine range give the Evoluzione machines superior technology that is normally only found in full sized commercial espresso machines.

Now with PID temperature control, insulated boilers and the Rocket Espresso 9 mm boiler end plates, stability and temperature control is further enhanced.

The use of a rotary pump ensures quiet yet robust pump performance and allows the user to have the machine draw water from the internal machine reservoir or alternatively connect the machine directly to the water supply.

The Evoluzione machines are offered in two different body styles, the Giotto or the Mozzafiato.




EVOLUZIONE R FEATURES

- Heat exchanger boiler design
- PID control for greater temperature stability
- Boiler capacity: 1.80 litres
- Full sized commercial rotary pump
- 2.5 litre water reservoir or direct water connection option
- Height adjustable feet
- Stainless steel cup frame as standard
- Wattage: 1200 W

DIMENSIONS

- Giotto; 335 x 420 x 400* mm (width x depth x height)
 Weight 27.8 kg
 *425 mm height with cup frame
- Mozzafiato; 280 x 425 x 400 mm (width x depth x height)
 Weight 30.2 kg





Giotto & Mozzafiato Type v (PID controlled)

The Type v model is offered in two different body styles, both with heat exchanger PID temperature control technology.

Temperature control is optimised through a PID controller drawing on 4 different signal parameters to ensure stability and optimum results in the cup.

An adjustable temperature display allows the user to select individual brewing temperatures for different coffee types and roast styles.

The Giotto and Mozzafiato Type v machines introduce users to the Rocket Espresso movement for better espresso in the home without compromise.




TYPE v FEATURES

- Heat exchanger boiler design
- Boiler capacity: 1.80 litres
- Vibration pump
- 2.5 litre water reservoir
- PID control for greater temperature stability
- Height adjustable feet
- Stainless steel cup frame as standard
- Wattage: 1200 W

DIMENSIONS

- Giotto; 335 x 420 x 400* mm (width x depth x height)
 Weight 23.0 kg
 *425 mm height with cup frame
- Mozzafiato; 280 x 425 x 400 mm (width x depth x height)
 Weight 25.4 kg







Pg 12

Porta Via

The Porta Via is the worlds first truly portable espresso machine allowing people to enjoy the Rocket Espresso experience where ever they are.

Travel just got a whole lot more interesting - that 3 star hotel just went to a 5 star.

ACCESSORIES

- Bottomless portafilter
- Rocket flat white cups x 2
- Measuring spoon
- Rocket tamper
- Milk jug 50 ml

DIMENSIONS

- Machine out of case, ready to operate: 200 x 405 x 535 mm (width x depth x height)
- Machine inside case:
 245 x 450 x 571 mm
 (width x depth x height)
- Case (closed with machine inside): 245 x 450 x 550 mm (width x depth x height)
- Weight (case with machine inside):
 29.7 Kg
- Volume brew boiler: 470 ml
- Volume steam boiler: 730 ml
- Voltage / Wattage:
 V. 220 240/50/60 Hz 1350 W
 V. 115/60 Hz 1.050 W







Pq 14

Appartamento

The Appartamento is a compact espresso machine designed for environments where space is at a premium.

Rocket engineers optimised the chassis and layout of the internal components without compromising on the quality and features you expect from Rocket Espresso.


Available with white or copper circular side panel inserts.

APPARTAMENTO FEATURES

- Heat exchanger boiler design
- Boiler capacity: 1.80 litres
- Vibration pump
- 2.5 litre water reservoir
- Wattage: 1200 W

DIMENSIONS

- 274 x 425 x 360* mm (width x depth x height)
- Weight: 20.0 kg
- *including cup frame







Macinatore Fausto

The Fausto grinder brings all of the features and functionality professional baristas love to the kitchen, but in a more compact form.

Equipped with commercial quality 65 mm flat burrs, FAUSTO grinds quickly and accurately with easy to dial in stepless grinding.

The digital display with shot counter and programmable dual control buttons allows for quick adjustments and effortless portion control.

Polished silver or matte black finishing options to perfectly compliment your espresso machine.

DIMENSIONS

- 172 x 282 x 445* mm (width x depth x height)
- Weight: 11.5 kg
- *includes bean container



FAUSTO FEATURES

- Grinding: On Demand
- Portion control: 2 automatic portions (single and double)
- Manual continuous grinding
- Display: Digital display with shot counter (partial and continuous)
- Grinding setting: Micrometrical, stepless
- Bean container: 600 g
- Grinding blades: Plane 65 mm diameter - tempered steel
- Grinding capacity: 1.6 g to 2.9 g / second
- Motor: 230V / 50 or 115V / 60
 500 W single phase, RPM 1,360
- Bodywork: Die cast aluminium





Pg 18

Accessories









Espresso Cups - cappuccino, flat white and short cups





Technical Specifications

MODEL	PRESSURE PROFILE SYSTEM	PID PRESSURE CONTROL	TOTAL BOILER CAPACITY (litres)	WATER FEED		WATTAGE	WIDTH MM	DEPTH MM	HEIGHT MM	WEIGHT KG
				HARD PLUMBING	RESERVOIR	WATTAGE	WIDTH MIM	DEPTHIMM	HEIGHT MIM	WEIGHT KG
R NINE ONE	Yes	Yes	5.5 (1.9 + 3.6)	Yes	Yes	1600 W	410	505	430	47.4
R 60V	Yes	Yes	2.38 (1.8 + 0.58)	Yes	Yes	1400 W	310	440	390	29.5
R 58	-	Yes	2.38 (1.8 + 0.58)	Yes	Yes	1400 W	310	440	385	29.0
Giotto Evoluzione R	-	Yes	1.80	Yes	Yes	1200 W	335	420	400	27.8
Mozzafiato Evoluzione R	-	Yes	1.80	Yes	Yes	1200 W	280	425	400	30.2













MOZZAFIATO EVOLUZIONE R

Technical Specifications

MODEL	PRESSURE PROFILE SYSTEM	PID PRESSURE CONTROL	TOTAL BOILER CAPACITY (litres)	WATER FEED		WATTAGE	WIDTH MM	DEPTH MM	HEIGHT MM	WEIGHT KG
				HARD PLUMBING	RESERVOIR	WATTAGE	WIDTHIMM	DEPTHIMM	HEIGHT MIM	WEIGHT KG
Giotto Type v	-	Yes	1.80	No	Yes	1200 W	335	420	400	23.0
Mozzafiato Type v	-	Yes	1.80	No	Yes	1200 W	280	425	400	25.4
Porta Via	-	Yes	1.20 (0.47 + 0.73)	No	Yes	1050 - 1350 W	200*	405*	535*	29.7
Appartamento	-	No	1.80	No	Yes	1200 W	274	425	360	20.0













PORTA VIA



ROCKET ESPRESSO LIMITED Via Curiel 13 20060 Liscate Milan, Italy

+39 02 953 513 34 www.rocket-espresso.com